Field Crops Research, 27 (1991) 387–389
Elsevier Science Publishers B.V., Amsterdam

Author Index

Acevedo, E., *see* Craufurd, P.Q. et al.
Amir, J., Krikun, J. (Mobile Post Negev 2, Israel), Orion, D., Putter, J. (Bet Dagan, Israel) and Klitman, S. (Mobile Post Negev 2, Israel)
Wheat production in an arid environment.
1. Water-use efficiency, as affected by management practices 351
2. Role of soil pathogens 365
Asakawa, N.M., *see* Sylvester-Bradley, R. et al.
Austin, R.B., *see* Craufurd, P.Q. et al.
Basford, K.E. (St. Lucia, Qld., Australia), Kroonenberg, P.M. (Leiden, Netherlands) and DeLacy, I.H. (St. Lucia, Qld., Australia)
Three-way methods for multiattribute genotype×environment data: an illustrated partial survey 131
Bell, M.J. (Kingaroy, Qld., Australia), Shorter, R. (Brisbane, Qld., Australia) and Mayer, R. (Townsville, Qld., Australia)
Cultivar and environmental effects on growth and development of peanuts (*Arachis hypogaea* L.).
I. Emergency and flowering 17
II. Reproductive development 35
Bidinger, F.R., *see* Fussell, L.K. et al.
Bieler, P., *see* Fussell, L.K. et al.
Byrne, P.F., *see* Eskridge, K.M. et al.
Carberry, P.S. (Aitkenvale, Qld., Australia)
Test of leaf-area development in CERES-Maize: a correction 159
Clark, R.B. (Lincoln, NE, USA) and Duncan, R.R. (Griffin, GA, USA)
Improvement of plant mineral nutrition through breeding 219
Connor, D.J. (Parkville, Vic., Australia)
Book review of *Theoretical Production Ecology*, by R. Rabbinge et al. (Editors) 381
Craufurd, P.Q., Austin, R.B. (Norwich, UK), Acevedo, E. (Aleppo, Syria) and Hall, M.A. (Cambridge, UK)
Carbon isotope discrimination and grain-yield in barley 301
Crossa, J., *see* Eskridge, K.M. et al.
Cruz, R.T., *see* Dingkuhn, M. et al.
Davis, D.W., *see* Li, P.H. et al.
DeLacy, I.H., *see* Basford, K.E. et al.
Dingkuhn, M., Cruz, R.T. (Manila, Philippines), O'Toole, J.C. (New Delhi, India), Turner, N.C. (Wembley, W.A., Australia) and Doerffling, K. (Hamburg, Germany)
Responses of seven diverse rice cultivars to water deficits. III. Accumulation of abscisic acid and proline in relation to leaf water-potential and osmotic adjustment 103
Doerffling, K., *see* Dingkuhn, M. et al.
Duncan, R.R., *see* Clark, R.B. and Duncan, R.R.
Earle, E.D. (Ithaca, NY, USA)
Book review of *Plant Protoplasts and Genetic Engineering*, Vols. I & II, by Y.P.S. Bajaj (Editor) 384

Esan, E.B., *see* Ojo, A.A. et al.
Eskridge, K.M. (Lincoln, NE, USA), Byrne, P.F. and Crossa, J. (El Batan, Mexico)
Selection of stable varieties by minimizing the probability of disaster 169
Ezumah, H.C., *see* Ikeorgu, J.E.G. and Ezumah, H.C.
Fowler, D.B., *see* Limin, A.E. and Fowler, D.B.
Frederick, J.R., Woolley, J.T., Hesketh, J.D. and Peters, D.B. (Florence, SC, USA)
Seed yield and agronomic traits of old and modern soyabean cultivars under irrigation and soil water-deficit 71
Fussell, L.K. (Niamey, Niger), Bidinger, F.R. (Andhra Pradesh, India) and Bieler, P. (Niamey, Niger)
Crop physiology and breeding for drought tolerance: research and development 183
Hall, M.A., *see* Craufurd, P.Q. et al.
Hampson, J., *see* Hay, R.K.M. and Hampson, J.
Hay, R.K.M. and Hampson, J. (Ayr, UK)
Sprout and stem development from potato tubers of differing physiological age: the role of apical dominance 1
Hesketh, J.D., *see* Frederick, J.R. et al.
Hocking, P.J. and Pinkerton, A. (Canberra, A.C.T., Australia)
Response of growth and yield components of linseed to the onset or relief of nitrogen stress at several stages of crop development 83
Ikeorgu, J.E.G. (Awkuzu, Nigeria) and Ezumah, H.C. (Ibadan, Nigeria)
Some analytical aspects of cassava/maize/okra/egusi-melon complex mixture: I. Soil temperature in relation to leaf-area variation 51
Jacobs, B.C. and Pearson, C.J. (Sydney, N.S.W., Australia)
Potential yield of maize, determined by rates of growth and development of ears 281
Jamieson, P.D. (Christchurch, New Zealand), Porter, J.R. (Bristol, UK) and Wilson, D.R. (Christchurch, New Zealand)
A test of the computer simulation model ARCWHEAT1 on wheat crops grown in New Zealand 337
Klitman, S., *see* Amir, J. et al.
Knights, E.J., *see* Morgan, J.M. et al.
Kongchum, M., *see* Puckridge, D.W. et al.
Krikun, J., *see* Amir, J. et al.
Kroonenberg, P.M., *see* Basford, K.E. et al.
Langer, R.H.M. (Christchurch, New Zealand)
Book review of *Principles and Methods of Plant Breeding*, by S. Borojevic 385
Li, P.H., Davis, D.W. (St. Paul, MN, USA) and Shen, Z.-Y. (Beijing, China)
High-temperature-acclimation potential of the common bean: can it be used as a selection criterion for improving crop performance in high-temperature environments? 241
Limin, A.E. and Fowler, D.B. (Saskatoon, Sask., Canada)
Breeding for cold hardiness in winter wheat: problems, progress and alien gene expression 201
Mayer, R., *see* Bell, M.J. et al.
Mitchell, R.A.C. (Harpenden, UK), White, E. (Belfast, UK) and Sylvester-Bradley, R. (Cambridge, UK)
Prediction of flag-leaf emergence in wheat crops 119
Morgan, J.M. (Tamworth, N.S.W., Australia), Rodriguez-Maribona, B. (Madrid, Spain) and Knights, E.J. (Tamworth, N.S.W., Australia)
Adaptation to water-deficit in chickpea breeding lines by osmoregulation: relationship to grain-yields in the field 61

Mosquera, D., *see* Sylvester-Bradley, R. et al.
Muchow, R.C. (St. Lucia, Qld., Australia)
Book review of *Physiology of Tropical Crop Production*, by G.R. Squire 382
O'Keeffe, L.E., *see* Williams, L., III et al.
O'Toole, J.C., *see* Dingkuhn, M. et al.
Ojo, A.A., Sanwo, J.O. and Esan, E.B. (Ibadan, Nigeria)
Early results of evaluation of Nanay × Parinary *Theobroma cacao* double-cross progenies in Nigeria 257
Orion, D., *see* Amir, J. et al.
Pearson, C.J., *see* Jacobs, B.C. and Pearson, C.J.
Peters, D.B., *see* Frederick, J.R. et al.
Pinkerton, A., *see* Hocking, P.J. and Pinkerton, A.
Porter, J.R., *see* Jamieson, P.D. et al.
Puckridge, D.W., Wiengweera, A., Thongbai, P., Sangtong, P., Sattarasart, A., Kongchum, M. and Runtan, S. (Bangkok, Thailand)
Nitrogen uptake by deepwater rice during the pre-flood and flooded phases, in relation to dry-matter and grain production 315
Putter, J., *see* Amir, J. et al.
Rodriguez-Maribona, B., *see* Morgan, J.M. et al.
Runtan, S., *see* Puckridge, D.W. et al.
Sanchez, G., *see* Sylvester-Bradley, R. et al.
Sangtong, P., *see* Puckridge, D.W. et al.
Sanwo, J.O., *see* Ojo, A.A. et al.
Sattarasart, A., *see* Puckridge, D.W. et al.
Schotzko, D.J., *see* Williams, L., III et al.
Shen, Z.-Y., *see* Li, P.H. et al.
Shorter, R., *see* Bell, M.J. et al.
Sylvester-Bradley, R., Mosquera, D., Asakawa, N.M. and Sanchez, G. (Cali, Colombia)
Promiscuity and responses to rhizobial inoculation of tropical kudzu (*Pueraria phaseoloides*) 267
Sylvester-Bradley, R., *see* Mitchell, R.A.C. et al.
Thongbai, P., *see* Puckridge, D.W. et al.
Turner, N.C., *see* Dingkuhn, M. et al.
White, E., *see* Mitchell, R.A.C. et al.
Wiengweera, A., *see* Puckridge, D.W. et al.
Williams, L., III, O'Keeffe, L.E. and Schotzko, D.J. (Moscow, ID, USA)
Chickpea, *Cicer arietinum*: a new host for the pea leaf weevil, *Sitona lineatus* 377
Wilson, D.R., *see* Jamieson, P.D. et al.
Woolley, J.T., *see* Frederick, J.R. et al.

Field Crops Research, 27 (1991) 390–392
Elsevier Science Publishers B.V., Amsterdam

Subject Index

Abelmoschus
Aspects of cassava/maize/okra/egusi-melon complex 51
Arachis
Cultivar and environmental effects on *Arachis*. I. Emergence and flowering 17
Cultivar and environmental effects on *Arachis*. II. Reproductive development 35
Breeding
Crop physiology and breeding for drought tolerance 183
Breeding for cold hardiness in winter wheat 201
Improvement of plant mineral nutrition through breeding 219
High-temperature-acclimation potential of the common bean 241
Principles and Methods of Plant Breeding (book review) 385
Cassava, *see Manihot*
Cereals
Crop physiology and breeding for drought tolerance 183
Chickpea, *see Cicer*
Cicer
Water-deficit in chickpea: relationship to grain-yield 61
Cicer arietinum: a host for the pea leaf weevil, *Sitona* 377
Cotton, *see Gossypium*
Cultivar differences, *see* Variety trials
Drought, *see* Water regime
Environmental factors
Cultivar and environmental effects on *Arachis*. I. Emergence and flowering 17
Aspects of cassava/maize/okra/egusi-melon complex 51
Three-way methods for multiattribute genotype×environment data 131
Selection of stable varieties by minimizing the probability of disaster 169
Breeding for cold hardiness in winter wheat 201
High-temperature-acclimation potential of the common bean 241
Carbon isotope discrimination and grain-yield in barley 301
Wheat in an arid environment. 1. Water-use efficiency 351
Fertilizers, *see* Nutrient dynamics
Genetic engineering
Plant Protoplasts and Genetic Engineering (book review) 384
Genotype, *see* Variety trials
Glycine
Soybean under irrigation and soil water-deficit 71
Gossypium
Three-way methods for multiattribute genotype×environment data 131
Hordeum
Carbon isotope discrimination and grain-yield in barley 301
Intercropping
Aspects of cassava/maize/okra/egusi-melon complex 51

Irrigation, *see* Water regime
Linum
Response of linseed to nitrogen stress 83
Literature review
Breeding for cold hardiness in winter wheat 201
Maize, *see Zea*
Management practices
Wheat in an arid environment. 1. Water-use efficiency 351
Wheat in arid environment. 2. Role of soil pathogens 365
Manihot
Aspects of cassava/maize/okra/egusi-melon complex 51
Millet, *see Pennisetum*
Modelling
Prediction of flag-leaf emergence in wheat crops 119
Test of leaf-area development in CERES-Maize: a correction 159
Selection of stable varieties by minimizing the probability of disaster 169
A test of the computer simulation model ARCWHEAT1 337
Theoretical Production Ecology (book review) 381
Nitrogen, *see* Nutrient dynamics
Nutrient dynamics
Response of linseed to nitrogen stress 83
Improvement of plant mineral nutrition through breeding 219
Promiscuity and rhizobial inoculation of kudzu *Pueraria* 267
N uptake by deepwater rice during pre-flood and flood 315
Oryza
ABA and proline in rice 103
N uptake by deepwater rice during pre-flood and flood 315
Peanut, *see Arachis*
Pennisetum
Crop physiology and breeding for drought tolerance 183
Pests and diseases
Wheat in an arid environment. 2. Role of soil pathogens 365
Cicer arietinum: a host for the pea leaf weevil, *Sitona* 377
Phaseolus
High-temperature-acclimation potential of the common bean 241
Physiology
Development of potato of differing physiological age 1
Cultivar and environmental effects on *Arachis*. II. Reproductive development 35
Response of linseed to nitrogen stress 83
ABA and proline in rice 103
Prediction of flag-leaf emergence in wheat crops 119
Test of leaf-area development in CERES-Maize: a correction 159
Crop physiology and breeding for drought tolerance 183
High-temperature-acclimation potential of the common bean 241
Potential yield of maize 281
Physiology of Tropical Crop Production (book review) 382
Potato, *see Solanum*
Productivity
Water-deficit in chickpea: relationship to grain-yield 61
Soybean under irrigation and soil water-deficit 71
Response of linseed to nitrogen stress 83

Evaluation of *Theobroma cacao* double-cross progenies 257
Potential yield of maize 281
Carbon isotope discrimination and grain-yield in barley 301
Wheat in an arid environment. 2. Role of soil pathogens 365
Pueraria
Promiscuity and rhizobial inoculation of kudzu *Pueraria* 267
Rice, *see Oryza*
Selection, *see* Variety trials
Soil conditions
Aspects of cassava/maize/okra/egusi-melon complex 51
Soybean under irrigation and soil water-deficit 71
Improvement of plant mineral nutrition through breeding 219
Solanum
Development of potato of differing physiological age 1
Soybean, *see Glycine*
Temperature, *see* Environmental factors
Theobroma
Evaluation of *Theobroma cacao* double-cross progenies 257
Triticum
Prediction of flag-leaf emergence in wheat crops 119
Breeding for cold hardiness in winter wheat 201
A test of the computer simulation model ARCWHEAT1 337
Wheat in an arid environment. 1. Water-use efficiency 351
Wheat in an arid environment. 2. Role of soil pathogens 365
Variety trials
Cultivar and environmental effects on *Arachis*. I. Emergence and flowering 17
Cultivar and environmental effects on *Arachis*. II. Reproductive development 35
Soybean under irrigation and soil water-deficit 71
ABA and proline in rice 103
Three-way methods for multiattribute genotype × environment data 131
Selection of stable varieties by minimizing the probability of disaster 169
Evaluation of *Theobroma cacao* double-cross progenies 257
Carbon isotope discrimination and grain-yield in barley 301
Water regime
Water-deficit in chickpea: relationship to grain-yield 61
Soybean under irrigation and soil water-deficit 71
ABA and proline in rice 103
Crop physiology and breeding for drought tolerance 183
Carbon isotope discrimination and grain-yield in barley 301
N uptake by deepwater rice during pre-flood and flood 315
Wheat in an arid environment. 1. Water-use efficiency 351
Wheat, *see Triticum*
Yield increase, *see* Productivity
Zea
Aspects of cassava/maize/okra/egusi-melon complex 51
Test of leaf-area development in CERES-Maize: a correction 159
Selection of stable varieties by minimizing the probability of disaster 169
Potential yield of maize 281